

Below mentioned stock is based on stock level of **21-11-2024** and will be updated frequently.

- If you need alternative ratios (multistage), please contact us for a delivery time.
- This stocklist is for all gearboxes from RR65 till RR12500 in Series 2000 and Series Plus.
- Brakes which are not in the list can mostly be modified from other brakes (different braking torque).

The physical stock displays the actual stock at RR Holland, the vacant stock is the quantity which is still vacant to be sold. Even when vacant stock is lower or equal to 0, there might still be a possibility to purchase these item on short notice since other orders might have a later delivery date.

Do not hesitate to contact us if you need further information, sales@rrholland.nl.

Code	Description	Physical stock	Vacant stock
11094003	Speedsensor EMD Pulse mode	3	3
11185537	Danfoss OMR X 50 25mm HPS+Drain	2	2
11185771	Danfoss OMP X 50 25mm HPS+Dr.	8	0
11185775	Danfoss OMP X 32 25mm HPS+Dr.	5	5
11186652	Danfoss OMR X 315 25mm HPS+Dr.	3	1
11186655	White / Danfoss OMR X 125 25mm HPS+Dr.	10	1
11186658	Danfoss OMR X 160 25mm HPS+Dr.	2	2
11186665	Danfoss OMR X 200 25mm HPS+Dr.	5	2
11186667	Danfoss OMR X 250 25mm HPS+Dr.	7	7
11186671	Danfoss OMR X 80 25mm HPS+Drain	8	0
11186674	Danfoss OMR X 100 25mm HPS+Dr.	6	3
11186705	Danfoss OMP X 160 25mm HPS+Dr.	4	4
11186725	Danfoss OMP X 100 25mm HPS+Dr	1	1
11-254	Flange SAE B 4B M12	12	12
11-296	Flange IEC 80 RR 65 11-296	6	6
151-0245	Danfoss OMR 200 32mm Dr.	8	8
151-0613	Danfoss OMP 125 25mm HPS+Dr.	2	2
151-0614	Danfoss OMP 160 25mm HPS+Dr.	1	1
151-0616	Danfoss OMP 250 25mm HPS+Dr.	1	1
151-0617	Danfoss OMP 315 25mm HPS+Dr.	2	2
151-0718	Danfoss OMR 375 25mm HPS+Dr.	1	1
151-1159	Sealkit OMR	5	5
151-1286	Sealkit OMP/OMR NBR	3	3
151-3227	Danfoss OMR 315 SAE6B	3	3
151B0125	Danfoss Set of seals NBR OMVS	1	1
151B1040	Danfoss Set of 2 seals NBR OMTS _serie 1_2	6	6
151B3000	Danfoss OMT 160 40mm Hydr.Mot	1	1
151B3036	Danfoss OMTS 160 Hydr.Motor	2	2
151B3037	Danfoss OMTS 200 Hydr.Motor	2	2
151B3038	Danfoss OMTS 250 Hydr.Motor	3	2
151B3039	Danfoss OMTS 315 Hydr.Motor	1	1
151B3125	Danfoss OMVS 315 Hydr. Motor	3	3
151B3126	Danfoss OMVS 400 Hydr.motor	3	3
151F0278	Hydro Motor OMSU 80 Serie 2	1	1
151F0280	Danfoss OMSU 125-2 Hydr.motor	1	1
151F0283	Danfoss OMSU 250-2 hyd.motor	8	8
151F0535	White / Danfoss OMSS 80 Hydraulic Motor	7	7
151F0536	Danfoss OMSS 100 Hydr.Motor	15	14
151F0537	White / Danfoss OMSS 125 Hydr.Motor	22	16
151F0538	White/Danfoss OMSS 160 Hydr.Motor	3	3
151F0539	Danfoss OMSS 200 Hydr.Motor	2	1
151F0540	Danfoss OMSS 250 Hydr.Motor	6	4
151F0541	White / Danfoss OMSS 315 Hydr.Motor	7	5
151F0578	Danfoss OMSU 80-3 Hydr.Motor	7	3
151F0579	Danfoss OMSU 100-3 Hydr.Motor	4	0

Code	Description	Physical stock	Vacant stock
151F0580	Danfoss OMSU 125-3 Hydr.motor	3	3
151F0581	Danfoss OMSU 160-3 hyd.motor	2	2
151F0582	Danfoss OMSU 200-3 hyd.motor	3	3
151F0616	Danfoss OMSS T 80 Hydr. Motor	3	3
151F0618	Danfoss OMSS T 100 Hydr.Motor	1	1
151X2654	Danfoss OMRS 100 S1 + Drain	3	3
154-1376	Sealkit for conn. OMSS (uni-integr)	8	8
154-1390	Sealkit RF 10-140 OS-201.05	1	1
154-1396	Sealkit RF 170-290 OS-201.11	4	4
154-1410	Planetary ring RR1000 06003	8	8
154-1411	Planetary ring RR1500 06004	4	4
154-1412	Planetary ring RR510 06005	113	68
154-1413	Planetary ring RR710 06007	28	12
154-1416	Planetary ring RR105 06010	97	53
154-1425	Planetary ring RR2300 06026	3	3
154-1426	Planetary ring RR65 06027	63	31
154-1427	Planetary ring RR65D 06028	40	22
154-1456	Spring RF RRTD/RRWD800 / RMLF105 14021	20	20
154-1459	Spacer RR510/710-310 09001	96	55
154-1469	Spacer RR 310-105 Steel (09787) 09041	81	56
154-1470	Spacer RR 105-105 09042	23	13
154-1477	Spacer uni.input H=16 09-058	6	4
154-1503	Spacer uni.input H=37 09-099	20	20
154-1508	Spacer RR 180-300 09104	48	43
154-1880	Reduction 105 i=3.21 P0040	12	12
154-1881	Reduction 105 i=4.1 P0041	16	3
154-1882	Reduction 105 i=5.42 P0042	31	26
154-1883	Reduction 105 i=7.2 P0043	43	22
154-1889	Reduction 180 i=3.4	5	5
154-1901	Reduction 510 i=3.4	8	8
154-1902	Reduction 510 i=4 P0087	27	-2
154-1903	Reduction 510 i=5 P0088	48	42
154-1904	Reduction 510 i=5.8 P0089	24	21
154-1905	Reduction 510 i=7 P0090	12	7
154-1912	Reduction 710 i=4 P0115	19	10
154-1913	Reduction 710 i=5.2 P0116	72	70
154-1914	Reduction 710 i=6.25 P0117	9	8
154-1926	Reduction 1500 i=3.9	3	3
154-1962	Reduction 710S i=4	7	4
154-1963	Reduction 710S i=5.2	2	2
154-1964	Reduction 710S i=6.25 P0122	4	3
154-1971	Reduction 20 i=3.51 P0020	10	7
154-1972	Reduction 20 i=4.65 P0021	16	5
154-1973	Reduction 20 i=6.21 P0022	24	5
154-2190	EL input Ø35x50mm L35-2 for RR310-710 - A210/A220	2	2
154-2190M1	EL input Ø35x50mm RR105/A60 L35-2	5	5
154-2190M170	EL input splined f.RR310-710 - A210	2	2
154-2195	EM input for RR310-710 Spl.	2	2
154-2251	Coupling OMP-OMR cil. 25mm Inp. "B" 24-022 L=43mm	39	38
154-2252	Coupling OMP-OMR 1" SAE6B - for input "B" 24-054	14	14
154-2253	Flange OMS for input "B" 11-077	3	2
154-2254	Coupling OMS cil. 32mm - UNI 24049	9	8

Code	Description	Physical stock	Vacant stock
154-2255	Coupling OMS splined DP12/24 Z=14 UNI 24-075	5	5
154-2256	OMSS complete acc. for input "B"	16	7
154-2257	OMT Flange Pre.Boc. RR105-710	7	6
154-2258	OMTS complete accessory - PB	32	32
154-2258M1	OMTS complete accessory RR105/210-A57/A60	9	9
154-2259	Flange for OMV RR310-710 P.Boc 11-083	8	8
154-2262	OMVS compl. acc. RR310-710 P.Bo	7	5
154-2263	OMVS complete acc. RR810-RR1700	3	3
154-2267	OMTS complete acc. RR810-RR1700	2	2
154-2268	OMT Flange for RR810-RR1700	2	2
154-2269	Coupling OMT Cyl.40 RR810-1700 24-068	2	2
154-2271	Coupling 16/32 21t 24016	13	13
154-2272	Universal Coupling for SAE C Z=23 16/32DP 24-013	40	40
154-2274	Coupling 16/32 27t 24072	4	4
154-2275	Coupling OMV Cyl. 50mm Pre.Bo 24070	6	6
154-2276	Coupling OMT Cyl. 40mm PB RR105-710 24-069	3	2
154-2277	Coupling OMP-OMR cil. 1" for input "B" 24-057	6	6
154-2279	Coupling OMM 16mm for Input "B"	7	7
154-2287	Pinion M=5 Z=17 RR310-710MS 16090	3	3
154-2288	Pinion M=8 Z=15 16080	3	2
154-2291	Pinion M=10 Z=15 RR710S/810 16087	6	6
154-2300M228	Connection IEC 71-B5 14x30mm for input "B"	2	2
154-2300M229	Connection IEC 80-B5 for input "B"	2	2
154-2300M230	Connection IEC 90 - B5 - for input "B"	11	10
154-2300M231	Connection IEC 100L/112M - B5 for input "B"	10	5
154-2300M232	Connection IEC 132 - B5 for input "B"	12	4
154-2300M235	Connection IEC180-B5 for input "B"	7	7
154-2300M283	Connection SAE-B 2B 16/32 Z=15 for input "B"	8	8
154-2300M284	Connection SAE-B 2B 16/32 Z=13 for Input "B"	5	3
154-2300M291	Connection SAE-B 4B 16/32 15t	11	11
154-2300M292	Connection SAE-B 4B 16/32 13t	3	3
154-2300M299	Connection SAE-C 2/4B 16/32 Z=23 Typ "B"	12	12
154-2300M300	Connection SAE-C 2/4B 16/32 21t for input "B"	13	12
154-2300M302	Connection SAE-C 2/4B 12/24 14t for typ "B" input	13	13
154-2300M304	Connection SAE-C 2/4B M16 12/24 17t for Inp. "B"	2	2
154-2300M308	Connection SAE-D 4B 16/32 27t P.Bo	3	3
154-2300M309	Connection SAE-D 4B 8/16 13t - PB	2	1
154-2300M312	Con. Rexroth A2FM45 "A" W32	2	2
154-2300M324	Endcover for standard input. H=20mm	3	3
154-2300M325	Endcover for RR65 input "A"	4	4
154-2300M341	Connection IEC 71-B5 14mm for input "A"	8	8
154-2300M362	Con. Rexroth A2FM107 "Z" W40-P.Bo.	2	2
154-2300M364	Connection IEC 80-B5 RR65 - "A input"	1	1
154-2300M367	Connection IEC 63 -B5 for input "B"	1	1
154-2300M394	Connection SAE-D 4B 16/32 27t for Input "B"	1	1
154-2300M396	Conn. SAE-D 4B 8/16 13t RR810-1700	8	8
154-2300M397	Con. Rexroth A2FM107 "A" W45 for "B" Input.	4	4
154-2300M417	Con. Rexroth A2FM23-32 "A" W30 for Input "B"	16	16
154-2300M426	Con. Rexroth A2FM107 "Z" W40 for input "B"	5	5
154-2300M43	Conn. SAI M1/L1/GM1/BD1 UNI 221 f. type "B" input	5	5
154-2300M447	Adaptor Input "B" -> brake RFF5 H=30mm	24	24
154-2300M455	Conn. SAI M/P05/GM05 28UNI221	6	6

Code	Description	Physical stock	Vacant stock
154-2300M456	Connection IEC160 - B5 for input "B"	16	10
154-2300M464	Connection SAE-D 4B 8/16 13t for Inp. "B"	9	8
154-2300M474	Connection IEC 225-B5 60x140 RR310-RR710 - 02 sun	5	4
154-2300M48	Con. Rexroth A6VM80 "A" W40	17	17
154-2300M49	Con. Rexroth A2FM160 "Z" W45 Typ "B"	2	2
154-2300M490	Connection Volvo F12-40 cartr.	2	2
154-2300M497	Connection IEC63 - B5 RR65 (Inp. "A")	4	4
154-2300M51	Connection Oilstip RMF200/300	3	3
154-2300M517	Connection IEC 90 - B5 RR65DFS	7	4
154-2300M518	Connection IEC 100L/112M - B5 RR105-RR210	15	11
154-2300M520	Connection IEC 90 - B5 RR105/210	13	12
154-2300M522	Connection IEC 100L/112M - B5 RR65 RF	25	17
154-2300M530	Connection IEC 80-B5 RR65D	11	7
154-2300M532	Connection IEC 80 - B5 RR105-RR210	6	6
154-2300M549	Connection SAI GM2 / TD1.5 UNI220	4	4
154-2300M552	Connection IEC 100LM B14 28X60 RR65 P.RF	12	12
154-2300M571	Connection SAE A 2/4B 1" RR105	5	5
154-2300M580	Conn. SAE-B 2B 16/32 15t - RR105 P.	5	5
154-2300M582	Connection IEC 132S/M - B5 RR105-RR210	21	6
154-2300M584	Connection IEC 100L/112M RR310-710	3	3
154-2300M585	Connection IEC 132S/M RR310-RR710	13	8
154-2300M586	Niet meer gebruiken. Connection IEC160M/L - B5 RR310-RR710	1	1
154-2300M624	Conn. SAI M/P05/GM05 35x2x16 DIN 5480	10	10
154-2300M67	Con. Rexroth A6VM80 "Z" W35	5	5
154-2300M73	Con. Rexroth A2FM-10-12-16 for input "B"	4	4
154-2300M739	Connection IEC 71-B5 19mm Sp. input B	21	21
154-2300M75	Con. Rexroth A2FM56/63 "A" W35x2 for input "B"	4	3
154-2300M754	Connection IEC 100LM B14 28x60 RR65D P.RF	6	6
154-2300M76	Con. Rexr. A2FM45/56/63 "Z" W30x2	6	6
154-2300M761	Conn SAI BD2 40x3x12 8f DIN5480 for "B" input	7	7
154-2300M762	Conn. SAI BD2 40x3x12 8f DIN5480 for "C" Input	3	2
154-2300M768	Connection IEC 80-B14 - RR65DFS - RF	3	3
154-2300M77	Con. Rexroth A2FM23-32 "Z" W25	4	4
154-2300M782	OMT 40mm compl. acc. for Input "B" h=134mm	4	4
154-2300M833	Conn. SAI PO05 DIN5480 Tamrock	3	3
154-2300M87	Connection Linde BMF (V) 50	3	3
154-2300M968	Conn. IEC200 B5 Ø55X110 RR810	1	1
154-2300M971	Conn. IEC280 B5 Ø75X140 RR810	1	1
154-2300M975	Conn. IEC225 B5 Ø60X140 A620-A820 (for "C" Input)	2	2
154-2300M976	Conn. IEC250 B5 Ø65X140 A620-A820	2	2
154-2334	OMSS SAE version complete acc. for input "B"	3	3
154-2349	Brake RF 2/43 Input "B" for RR310/710	17	14
154-2349M10	Brake RF 2/43 OMP/R 25mm RR310-710	25	13
154-2357	Universal input type "B" RR810-RR1700	5	5
154-2404	EP input for RR810/1700 65mm CF (P65CF)	3	2
154-2407	EM input for RR310-710 65mm+FL (M65CF)	5	5
154-2594	Connection OMM-16mm RR65 for Inp. "A"	10	2
154-2706	Pinion M=6 Z=19 RR310S/510S 16094	3	3
154-2709	Pinion M=5 Z=14 x.m.=+2.5 16104	6	4
154-2715	Pinion M=6 Z=24 x.m.=0 16124	2	2
154-2716	Pinion M=8 Z=18 16130	4	4
154-2837M2	Brake RF 2/43 universal RR65FS	7	6

Stocklist

Code	Description	Physical stock	Vacant stock
154-2842M1	Brake RF 2/43 Input "B" RR105-210	13	11
154-2842M12	Brake RF 2/43 with input "B" for A57/A60	8	8
154-2847	Brake PDG-RF/288 43 daNm	172	3
154-2847M245	Brake PDG-RF/288 60 daNm Inp.Fl.turned 90°	5	5
154-2847M294	Brake PDG-RF/288 43 daNm Closed	15	5
154-2852	Brake SDG-RF/289 43 daNm - OMSS	25	17
154-2854	Brake WDG-RF/290 14 daNm	1	1
154-2857	Brake WDG-RF/290 43 daNm	2	2
154-2862M2	Brake RF 2/43 OMP/R Ø25mm RR65FS	11	5
154-2867	Brake RF 2/43 OMP/R Ø25mm RR105	14	9
154-2867M12	Brake RF 2/43 OMP/R Ø25mm A57/A60	5	5
154-2870	Brake PDG-RF/288 43 SAE6B-SAE6B	11	11
154-2878	Brake RF5/130 Standard for RR310-710 M/FS	28	28
154-2885	Brake RF5/130 OMTS	12	10
154-2892	Brake RF5/130 OMVS	12	12
154-2899	Brake RFF5/130 Input "B"	5	-2
154-2899M85	Brake RFF5/130 (A50x45) Spec.	2	2
154-2901	Coupling OMM cil.16mm-RR65 24-163	8	7
154-2902	Flange OMM for input typ "B"	10	10
154-2908	Flange OMP-OMR/OMPA-OMRA 2/4B M12 11-302	39	39
154-2956	Sealkit RR 2300T OS-201.18	2	2
154-2960	Sealkit GUARNIZ. DG-RF 0/27	2	2
154-2963	Sealkit RM/RMB 300 OS-201.28	1	1
154-2978	Sealkit WDG-RF290 OS-201.44	4	4
154-2991	Sealkit RF(F) 5/21-130 OS-201.57	18	18
154-2992	Sealkit RF(F) 5/..OMTS OS-201.58	18	18
154-2993	Sealkit RF(F) 5/..OMVS OS-201.59	2	2
154-3046	Pinion M=12 Z=14 16142	9	8
154-3050	Splined shaft RR 65-105F B40x36 27001	28	22
154-3051	Splined shaft B50x45 L=180mm 27002	28	28
154-3052	Splined shaft RR310F-RR710F 27003 B58x53 DIN5482	9	9
154-3053	Splined shaft 810FS-1009FS 27004 B70x64 DIN5482	9	9
154-3054	Splined shaft 1010F-1700F 27005	5	5
154-3060	Fixing flange 6300 12025	4	4
154-3061	Fixing flange RR310-RR710 12001	35	14
154-3062	Fixing flange RR1010-RR1700 12002	17	17
154-3063	Fixing flange 65-210 12003	13	11
154-3066	Fixing flange 710S/810S 12012	16	14
154-3069	Pinion M=10 Z=15 XM0 RR1010MS/1700MS/BS 16008	3	3
154-3073	Pinion M=6 Z=12 XM1.5 for 65-210 16017	1	1
154-3075	Pinion M=10 Z=10 16019	1	1
154-3076	Pinion M=8 Z=12 16020	6	6
154-3077	Pinion M=10 Z=12 16021	2	2
154-3078	Pinion M=10 Z=15 X=0 16022	9	9
154-3080	Pinion M=12 Z=14 XM+3 16024	2	-1
154-3082	Pinion M=6 Z=14 XM=+3 16026	2	2
154-3085	Pinion M=5 Z=22 RR310-710MS 16030	1	1
154-3086	Side-Flange RR310-710 28006	8	6
154-3087	Central-Flange RR310-710 28007	19	8
154-3088	Side Flange RR310/510S 28008	7	5
154-3089	Cent.Flange RR310S-510S 28009	6	3
154-3090	Splined bushing 710S-810S 29013	7	5

Stocklist

Code	Description	Physical stock	Vacant stock
154-3091	Splined bushing RR310MS-710MS 29001	14	9
154-3092	Splined bushing 310-510S 29002	13	13
154-3093	Splined bushing 1010-1700 29003	9	9
154-3094	Splined bushing RR65-RR210 29005	19	19
154-3095	Splined bushing 2700-3500 29006	9	9
154-3100	Pinion M=6 Z=19 XM=0 RR310MS 16031	4	4
154-3101	Pinion M=6 Z=24 x.m=0 RR310S/510S 16034	1	1
154-3103	Pinion M=8 Z=18 RR210S-RR710 16039	2	2
154-3107	Pinion M=6 Z=15 RR210S/710MS 16050	3	3
154-3111	Centr. flange 2700/3500 28011	32	32
154-3112	Centr. flange 1010/1700 28012	14	13
154-3113	Central flange RR65-210 28013	6	3
154-3114	Cent.Flange RR710S/810/810S 28014	7	5
154-3236	Pinion M=8 Z=13 RR310/510SS 16075	2	2
154-3245	Pinion M=6 Z=16 RR210S-710MS 16055	5	5
154-3246	Pinion M=8 Z=15 RR210S/710MS 16056	4	4
154-3248	Pinion M=10 Z=15 210S-710 16062	2	1
154-3250	Pinion M=8 Z=14 XM=0 for RR310/710MS 16067	6	6
154-3284	Flange OMP/OMR 2B RR65 11209	26	20
154-3285	Coupling OMP/OMR SAE 6B RR65 24-3008	49	43
154-3286	Fixing flange RR 8000 12017	6	6
154-3296	Coupling OMM Splined - RR65	14	14
154-3310	Sunshaft RR510 i=3.18 02041	14	14
154-3311	Sunshaft RR180 i=3.18 02042	1	1
154-3315	Input shaft uni. input 02064	318	316
154-3358	Side flange 2700/3500 28018	19	19
154-3359	Side flange RR1010-1700 28019	9	7
154-3378	Shaft RR105 -210 MS 03040	11	10
154-3387	Shaft RR105-210 MC 03068	3	2
154-3393	Shaft RR750S TR005 03077	13	13
154-3503	Shaft Brake RF(F)5 Standard 02-283	8	8
154-3820	Outputhousing 105/210 MS	21	16
154-3829	Outputhousing RR105/RR210 MC	40	27
154-3896	Outputhousing RR105/210 UC	2	2
154-3904	Inputflange OMM RR65 26260	7	5
154-5249	Input group RR105/110/210	35	28
154-5250	Input group RR20-65	38	14
154-5251	Input group RR310/510/710	42	23
154-5306	Brake DG-RF/313 130 daNm OMV	7	7
154-5313	Brake DG-RF/314 130 daNm OMT	2	1
154-5320	Brake DG-RF/316 130 daNm OMVW	3	3
154-5327	Brake DG-RF/315 130 daNm OMTW	3	3
154-5344	Brake RFF5/130 OMTS (DG-RFF/392)	2	2
154-5462M4	Brake RF 1/5.8 OMM RR65DF	6	6
154-5506	Sealkit WG 089-OMSS OS-201.73	3	3
154-5509	Sealkit OMTS (OR2-45)OS.202.24	7	7
154-5600	Output housing RR65F i=3.51	11	9
154-5601	Output housing RR65F i=4.65	9	7
154-5602	Output housing RR65F i=6.21	8	1
154-5603	Output housing RR105FS i=3.2	4	-1
154-5604	Output housing RR105F i=4.1	4	4
154-5605	Output housing RR105F i=7.2	4	4

Code	Description	Physical stock	Vacant stock
154-5607	Output housing RR180F i=5.8	3	3
154-5609	Output housing RR300F i=4	3	3
154-5611	Output housing RR510F i=3.4	3	3
154-5612	Output housing RR510F i=4	3	3
154-5613	Output housing RR510F i=5	6	5
154-5614	Output housing RR510F i=7	3	2
154-5615	Output housing RR710F i=4	5	4
154-5616	Output housing RR710F i=6.25	10	10
154-5764	Oil Tank BA015 (0,15 ltr) Kit	3	3
154-5930	Housing RR310-510S 26543	30	30
154-5931	Sealcover RR310S-510S + EP 26-544 / 40-341	23	23
154-5977	Connection OMP-OMR 2B M12 25mm for input "B"	5	-1
154-5993	Output shaft M=8 Z=15	1	1
154-9900M1	Mechanical Gear RC	10	8
154B2299	WGF092/12"" i=15 RF32 OMSS	1	1
154B2533M668	RMLF105T i=64.6 RF25,5 A2FESP	1	1
154B2598	Coupling IEC 100/112 24019	21	13
154B2601	Coupling 12/24 14t 24035	6	6
154B2615	Sealkit RF1/..OMM OS-202.12	5	5
154B2629	Splined shaft B35X31X100 27013	4	4
154B2634	Coupling A2FM56/63/80 W35x2 24-141	13	13
154B2651	Sealkit RMLF063 OMSU OS.202.10	1	1
154B2656	Sealkit RFF1/..OMM	2	2
154B2658	Sealcover RR710/750S 26755 (26144)	4	4
154B2688	OMSS complete accessory RR310-710	18	16
154B2689	OMVS complete accessory RR310-710	12	12
154B2690	OMTS complete accessory RR310-710	14	13
154B2691	OMSS complete accessory RR105-210	8	8
154B2702	Connection OMP-OMR SAE6B RR105-210	19	19
154B2704	Connection OMP-OMR 25 MM RR105-210	28	19
154B2706	Connection OMP-OMR 25 MM RR310-710	8	7
154B2709	Connection OMP-OMR 32 MM RR105	136	136
154B2717	Flange IEC 100/112 uni 11-032	4	4
154B2718	Coupling A2F45 "Z" W30 24-117	5	5
154B2730	Coupling IEC 80 uni. input 24-064 (H=42mm)	13	11
154B2774	Wheelgear RMN 510D i=14.6	3	3
154B2788	Coupling IEC 63/71-RR65 243014	10	8
154B3006	Coupling 1" for input typ "B" 24088	4	4
154B3007	Coupling SAE B 16/32 13t 24034	4	4
154B3048	Splined shaft B35X31X300 27016	2	2
154B3049	Splined shaft B40X36X300 27017	11	11
154B3050	Shaft B50x45 DIN 5482 L=300 27019	12	12
154B3090	Shrink Disc Coup. SD-100	2	2
154B3102	Sealkit RR 180/500S OS-202.54	1	1
154B3113	Sealkit RR 1500 New OS-202.65	3	3
154B3409	Sealcover RR310-710MS/MC 40063	40	40
154B3540	Coupling SAI GM2 8x36x40 UNI8953 24-083	11	11
154B3556	Coupling IEC 132 Ø 38mm for input "B" 24036	8	7
154B3592	Brake RF 2/43 Input "B" A210/A220	4	4
154B3707	Coupling IEC 90 - 24mm - uni input 24-065	16	16
154B3711	Pinion M=6 Z=21 XM1.62 RR210S-710 16155	23	-11
154B3765	Sealkit RR 500D special	1	1

Code	Description	Physical stock	Vacant stock
154B3795	Outphousing RR65 MC	27	8
154B3796	Outphousing RR65 MS	21	17
154B3850	Spacer RR510D 510-510 10-068	4	4
154B3856	Coupling A2F90 "A" W40 24-211	19	19
154B3963	Reduction RR65 i=6.21 P2605	23	8
154B3965	Reduction RR65 i=3.51 P2603	9	6
154B3966	Reduction RR65 i=4.65 P2604	29	15
154B3980	Outphousing RR65 UC	2	2
154B3989	EL input Ø48x82mm RR310-710-A210/A220 (L48)	9	9
154B3989M1	EL input Ø48x82mm - A57/RR105	8	8
154B4013	Coupling A2FM160 "Z" W45 24-213	2	2
154B4021	Seakit WGF 083-OMSU OS-202.48 let op => memo	1	1
154B4060	EI input RR 65TFS - Ø35x50mm (L35-1)	3	3
154B4069	Output housing RR105F i=5.42	8	8
154B4073	Output housing RR510F i=5.8	2	2
154B4074	Output housing RR710F i=5.2	3	3
154B4077	Sunshaft RR180 i=3.4 02022	6	6
154B4078	Sunshaft RR180 i=4 02023	6	6
154B4079	Sunshaft RR180 i=5 02024	1	1
154B4080	Sunshaft RR180 i=5.8 02025	2	2
154B4085	Sunshaft RR510 i=3.4 02016	24	24
154B4086	Sunshaft RR510/515 i=4 02017	13	1
154B4087	Sunshaft RR510 i=5 02018	11	11
154B4088	Sunshaft RR510 i=5.8 02019	13	13
154B4089	Sunshaft RR510 i=7 02020	6	5
154B4090	Sunshaft RR710 i=4 02043	102	94
154B4091	Sunshaft RR710 i=5.2 02044	24	24
154B4092	Sunshaft RR710 i=6.25 02045	14	14
154B4093	Sunshaft RR65 i=3.51 17441	17	13
154B4094	Sunshaft RR65 i=4.65 17453	28	12
154B4095	Sunshaft RR65 i=6.21 17440	34	12
154B4096	Sunshaft RR105 i=3.21 17051	26	21
154B4097	Sunshaft RR105 i=4.1 17050	34	21
154B4098	Sunshaft RR105 i=5.42 17049	27	22
154B4099	Sunshaft RR105 i=7.2 17048	49	28
154B4100	Sunshaft RR180 i=3.4 17040	14	14
154B4102	Sunshaft RR180 i=5 17042	5	5
154B4105	Sunshaft RR300 i=4 17122	12	12
154B4106	Sunshaft RR300 i=5.2 17123	11	11
154B4108	Sunshaft RR510 i=3.4 17016	13	13
154B4109	Sunshaft RR510/515 i=4 17017	36	4
154B4110	Sunshaft RR510 i=5 17018	33	28
154B4111	Sunshaft RR510 i=5.8 17019	16	13
154B4112	Sunshaft RR510 i=7 17020	15	10
154B4113	Sunshaft RR710 i=4 17033	20	7
154B4114	Sunshaft RR710 i=5.2 17034	39	37
154B4115	Sunshaft RR710 i=6.25 17035	20	18
154B4123	Spacer RR 105-65 26334	40	29
154B4129	Spacer RR 1010-510 26021	15	6
154B4131	Spacer RR 1700-510 26029	42	31
154B4140	Reduction 181 i=4	7	7
154B4141	Reduction 181 i=5	1	1

Stocklist

Code	Description	Physical stock	Vacant stock
154B4142	Reduction 181 i=5.8	6	6
154B4143	Reduction 181 i=7	3	3
154B4147	Sunshaft RR20 i=3.51 17142	7	4
154B4148	Sunshaft RR20 i=4.65 17141	19	8
154B4149	Sunshaft RR20 i=6.21 17143	25	6
154B4249	EM input for RR310-510 65mm SF (M65SF)	4	4
154B4312	Outputsupport RR310-710FS REIN.	7	7
154B4320	Coupling OMSS 24056	1	1
154B4339	Sunshaft RR100 i=3.2 GRI 17302	10	10
154B4340	Sunshaft RR100 i=4.1 GRI 17415	2	2
154B4341	Sunshaft RR100 i=5.4 GRI 17299	16	16
154B4476	Planetary ring RR710 Spec. 06-051	4	4
154B4521	Coupling OMP-OMR cil.25 24371	2	2
154B5980	Spacer A220 - RR105 09372	5	5
154B6373	Outputhousing RR810 SS	8	7
154B7028	Coupling SAI M/P05 28uni 24303	15	15
154B7082	Coupling SAE-D 8/16 Z=13 24308	11	1
154B7088	Spacer RR510 for Gri Red 09520	14	14
154B7237	Sealkit RR 810 OS-203.00	2	2
154B7331	Sunshaft RR180 i=3.18 17039	3	3
154B7348	Spacer RF2-RR510 09118	9	9
154B7395	Coupling SAE B Z=13 16/32 for Input "A" 24-3003	7	7
154B7679	Spacer RR65-65T 09-568	22	14
154B8761	Reduction 1700 i=5.14	10	10
154B8763	Planetary ring RR1700 06123 (F031233000)	29	19
154B8797	Sealcover RR810 40217	1	1
154B8840	Reduction 810 i=6.43 P3121	4	4
154B8863	Coupling A2F80-Z RR1000 24168	1	1
154B8873	Brake RFF 1/6 OMM 16mm DG-1364	5	-5
154B8874	Outputhousing RR810 MS	10	9
154B8948	A220 i=4.00 RR310-710 MS/MC/MH	12	4
154B9002	Outputhousing 109 MH P3093	2	2
154B9007	Outputhousing 310/710 MS	44	30
154B9008	Outputhousing 310/710 MC	22	15
154B9009	Outputhousing 310/510 SS P2486	16	11
154B9010	Outputhousing 310/710 UC	9	8
154B9011	Outputsupport 310-710 MH	2	2
154B9013	Outputhousing RR810 MC	4	3
154B9015	Outputhousing RR810 SC	3	3
154B9017	Outputhousing RR810 MH	8	8
154B9020	Outputhousing 1010 MS	5	3
154B9021	Outputhousing 1010 MC	4	1
154B9022	Outputhousing 1010 MH	6	2
154B9028	Outputhousing 1700 MS	20	18
154B9029	Outputhousing 1700 MC	7	6
154B9030	Outputhousing 1700 MH	2	1
154B9050	A60 i=3.22 RR105-210	10	2
154B9051	A60 i=5.89 RR105-210	9	9
154B9052	A220 i=4.00 RR810-810F	7	7
154B9053	Planetary ring RR110 06121	46	38
154B9054	Planetary ring RR210 06122	43	25
154B9055	Planetary ring RR310 06124	166	90

Stocklist

Code	Description	Physical stock	Vacant stock
154B9057	Planetary ring RR810 06120	33	25
154B9058	Planetary ring RR1010 06119	28	18
154B9060	Reduction 110 i=3.31 P3075	15	13
154B9061	Reduction 110 i=3.91 P3076	29	23
154B9062	Reduction 110 i=4.94 P3077	1	1
154B9063	Reduction 110 i=5.78 P3078	9	9
154B9064	Reduction 110 i=7.09 P3079	5	5
154B9065	Sunshaft RR110 i=3.31 17535	18	16
154B9066	Sunshaft RR110 i=3.91 17536	37	31
154B9067	Sunshaft RR110 i=4.94 17537	4	4
154B9068	Sunshaft RR110 i=5.78 17538	13	13
154B9069	Sunshaft RR110 i=7.09 17539	8	8
154B9070	Output housing RR110F i=3.31	4	4
154B9071	Output housing RR110 FS i=3.91	1	1
154B9072	Output housing RR110 FS i=4.94	2	2
154B9073	Output housing RR110 FS i=5.78	5	5
154B9074	Output housing RR110 FS i=7.09	3	3
154B9080	Reduction 210 i=3.31 P3150	16	10
154B9081	Reduction 210 i=3.91 P3151	5	5
154B9082	Reduction 210 i=4.94 P3152	7	7
154B9083	Reduction 210 i=5.78 P3153	6	2
154B9084	Reduction 210 i=7.09 P3154	10	8
154B9085	Sunshaft RR210 i=3.31 17540	26	20
154B9086	Sunshaft RR210 i=3.91 17541	5	5
154B9087	Sunshaft RR210 i=4.94 17542	9	7
154B9088	Sunshaft RR210 i=5.78 17543	9	5
154B9089	Sunshaft RR210 i=7.09 17544	12	8
154B9090	Output housing RR210F i=3.31	9	9
154B9091	Output housing RR210F i=3.91	2	2
154B9092	Output housing RR210F i=4.94	2	2
154B9093	Output housing RR210F i=5.78	10	10
154B9094	Output housing RR210F i=7.09	4	4
154B9095	Reduction 210S i=3.31	3	3
154B9096	Reduction 210S i=3.91	4	4
154B9097	Reduction 210S i=4.94	32	30
154B9098	Reduction 210S i=5.78	3	3
154B9099	Reduction 210S i=7.09	16	14
154B9100	Sunshaft RR310 i=3.40 02474	4	4
154B9101	Sunshaft RR310 i=4.00 02475	10	9
154B9102	Sunshaft RR310 i=5.00 02476	4	4
154B9103	Sunshaft RR310 i=5.80 02477	8	7
154B9104	Sunshaft RR310 i=7.00 02478	7	6
154B9105	Sunshaft RR310 i=3.40 17549	7	2
154B9106	Sunshaft RR310 i=4.00 17550	34	19
154B9107	Sunshaft RR310 i=5.00 17551	42	23
154B9108	Sunshaft RR310 i=5.80 17552	35	10
154B9109	Sunshaft RR310 i=7.00 17553	38	29
154B9110	Output housing RR310F i=3.40	6	6
154B9111	Output housing RR310F i=4.00	4	3
154B9112	Output housing RR310F i=5.00	7	7
154B9113	Output housing RR310F i=5.80	4	4
154B9114	Output housing RR310F i=7.00	2	2

Stocklist

Code	Description	Physical stock	Vacant stock
154B9115	Reduction 311 i=3.40 P3245	6	1
154B9116	Reduction 311 i=4.00 P3246	18	16
154B9117	Reduction 311 i=5.00 P3247	22	16
154B9118	Reduction 311 i=5.80 P3248	32	12
154B9119	Reduction 311 i=7.00 P3249	9	4
154B9120	Sunshaft RR810 i=4.30 17530	28	22
154B9121	Sunshaft RR810 i=5.47 17531	8	6
154B9122	Sunshaft RR810 i=6.43 17532	10	10
154B9123	Sunshaft RR810 i=7.91 17533	6	6
154B9124	Sunshaft RR810 i=8.60 17534	2	2
154B9125	Output housing RR810F i=4.30	5	5
154B9126	Output housing RR810F i=5.47	17	17
154B9127	Output housing RR810F i=6.43	4	4
154B9128	Output housing RR810F i=7.90	3	3
154B9129	Output housing RR810F i=8.60	2	2
154B9130	Reduction 810 i=4.30 P3119	33	27
154B9131	Reduction 810 i=5.47 P3120	1	0
154B9132	Reduction 810 i=7.91 P3122	7	7
154B9133	Reduction 810 i=8.60 P3123	2	2
154B9140	Sunshaft RR1010 i=4.00 17526	13	8
154B9141	Sunshaft RR1010 i=5.00 17527	9	6
154B9142	Sunshaft RR1010 i=5.8 17528	7	5
154B9143	Sunshaft RR1010 i=7.00 17529	2	2
154B9145	Output housing RR1009F i=4.00	4	4
154B9147	Output housing RR1009F i=5.8	3	3
154B9150	Output housing RR1010F i=4.00	17	17
154B9151	Output housing RR1010F i=5.00	3	2
154B9152	Output housing RR1010F i=5.80	7	7
154B9153	Output housing RR1010F i=7.00	10	10
154B9155	Reduction 1010 i=4.00 P3329	12	7
154B9156	Reduction 1010 i=5.00 P3330	6	4
154B9157	Reduction 1010 i=5.80 P3331	6	4
154B9158	Reduction 1010 i=7.00 P3332	5	5
154B9165	Sunshaft RR1700 i=3.90 17545	29	29
154B9166	Sunshaft RR1700 i=4.41 17546	6	-4
154B9167	Sunshaft RR1700 i=5.14 17547	3	3
154B9168	Sunshaft RR1700 i=6.27 17548	6	6
154B9170	Reduction 1700 i=3.90 P3320	19	19
154B9171	Reduction 1700 i=4.41 P3321	9	7
154B9172	Reduction 1700 i=6.27 P3323	6	6
154B9175	Output housing RR1700F i=3.90	8	7
154B9176	Output housing RR1700F i=4.41	1	1
154B9177	Output housing RR1700F i=5.14	3	3
154B9178	Output housing RR1700F i=6.27	6	6
154B9185	Spacer RR 810-310 40-222	46	39
154B9190	Reduction 310 i=3.40 P3235	11	11
154B9191	Reduction 310 i=4.00 P3236	28	15
154B9192	Reduction 310 i=5.00 P3237	15	1
154B9193	Reduction 310 i=5.8 P3238	16	11
154B9194	Reduction 310 i=7.00 P3239	27	22
154B9199	Brake RF 2/43 Input "B" RR510	3	3
154B9452	Sunshaft RR8000 i=5.25 17147	1	1

Stocklist

Code	Description	Physical stock	Vacant stock
154B9480	Reduction 1011 i=4.00	2	2
154B9481	Reduction 1011 i=5.00	4	4
154B9482	Reduction 1011 i=5.80	15	15
154B9483	Reduction 1011 i=7.00 P3471	4	4
154B9612	Sealkit RR 105/110TFS OS-203.31	16	16
154B9636	Coupling IEC160 - uni-input 24-425	1	1
154B9651	Outputhousing 310/510 SC P3878	37	25
154B9652	Outputhousing 310/510 SE P3879	1	1
154B9700	Sealkit RCS 800D Spec.OS-20332	7	7
154B9727	Coupling IEC 200 Ø55x110 24037	11	11
154B9769M1	Brake RF 290 for gear RR1010	3	3
154B9780	A60 i=3.22 RR310-310F	10	7
154B9781	A60 i=5.89 RR310-310F	7	3
154B9782	A220 i=4.00 RR1010 FS/M...	11	11
154B9783	A220 i=4.00 RR1700FS Input "B"	3	3
154B9802	Coupling SAI M/P05 DIN5480 24403	8	8
154B9803	Sealkit WGF092/10" - OMSS	6	6
154E00046	AR1700TB i=64.35 RF25 51C060	11	11
154E00202	Outputsupport RR810FS SP 03-562 P5376 Int. Brevini	5	2
154E00205	RRWD200B i=6.1 RF32 - OMSU-3	6	6
154E00220	RRWD300B i=5.27 RF49 OMP/R SAE6B TK	8	8
154E00222	RRWD300B i=5,27 RF49 OMSS TK	4	2
154E00224	RRWD300B i=5.27 RF49 Spec SAE6B TK HL	3	3
154E00341	AR1700TB i=85,65 RF25 51C060	2	2
154E00347	RRWD1700TB i=64.35 RF25 A2FE23-28-32 A SP - RAL9005	15	15
154F0442	Outputhousing 210 SS	4	4
154F0443	Outputhousing 210 SC P4123	4	0
154F0468	Coupling IEC180 uni-input 48mm 24-426	5	5
154F0480	Sealkit RR 1700Q FS / 1500Q F	8	8
154F0494	Brake DG-RF5 130 daNm DG 1591	3	3
154F0549	Adaptor RR1700-810 - RF5 St.	37	36
154F1165	Outputhousing 710 SS	4	0
154F1166	Outputhousing 710 SC	5	4
154F1182	Sealkit RR 2700Q MS	1	1
154F1185	Outputsupport RR810 FS 40-220	23	23
154F1488	Coupling B50x45/B40x36 24-138	5	5
154F1491	Sealkit RR 210 SS OS-203.51	1	1
154F1561	Oil Tank BA090 (0,9 ltr)	116	115
154F1562	Oil Tank BA015 (0,15 ltr)	84	54
154F1563	Oil Tank BA030 (0,3 ltr)	36	36
154F1595	Sealkit WGF 092-SAEA OS-203.53	1	1
154F1597	Sealkit RMLF063 OMRS OS.203.55	3	3
154F1599	Sealkit Valvebl.OMRS OS.203.56	2	2
154F1614	Sealkit RMLF 091 SAE B OS-203-57	4	4
154F1649	Shrink Disc Coup. TLK603 100x170 SP	15	15
154F1653	Sealkit RM 510D OS-203.60	3	3
154F1673	Coupling IEC 225 60mm uni. 24313	1	0
154F1956	Pinion M=5 Z=17 16212	7	7
154F2042	Spacer RF 200-230 20176	2	2
154F2060	Sealkit RR 6300Q MS/MC	2	2
154F2112	Sealkit RR65T FS	3	3
154F2113	Sealkit RR65T MS-MC OMM	4	4

Stocklist

Code	Description	Physical stock	Vacant stock
154F2114	Sealkit RR65T FS OMM	3	3
154F2117	Sealkit RR105/110TMS/C OS.203.75	1	1
154F2118	Sealkit RR105/110/210 US-C	3	3
154F2122	Sealkit RR210Q MS/C OS.203.80	6	6
154F2123	Sealkit RR 210Q FS	7	7
154F2124	Sealkit RR 210Q SS-SC-SI	4	4
154F2125	Sealkit RR 210Q US-UC	5	5
154F2130	Sealkit RR310Q MS/C OS-203.88	7	4
154F2131	Sealkit RR310Q FS OS-203.89	4	4
154F2135	Sealkit RR310Q SE	1	1
154F2185	Spacer RF 170 20175	2	2
154F2296	Sealkit RR 510S+RF5+OMP	5	5
154F2334	Outphousing RR109R-209R MC SP P4537	3	1
154F2388	Pinion M=10 Z=14 RR710SC 16218	4	4
154F2389	Fixing flange RR710SC 12-043	16	16
154F2500	Sealkit RR 510/750QM OS-204.04	8	8
154F2501	Sealkit RR 510/710Q FS OS-204.05	3	3
154F2502	Sealkit RR 510QSS/SC OS-204.06	6	6
154F2503	Sealkit RR510-710Q US-UC	5	5
154F2504	Sealkit RR510-710Q VI-ZI	2	2
154F2505	Sealkit RR510-710Q MH	5	5
154F2506	Sealkit RR510-710Q SE	3	3
154F2522	Sealkit RR710Q SS/C OS.204.26	6	6
154F2523	Sealkit RR710Q SE	4	4
154F2527	Sealkit RR 810Q MS/C OS.204.31	3	3
154F2528	Sealkit RR 810Q FS	3	3
154F2529	Sealkit RR 810Q SS/SC/SI OS-204.33	2	2
154F2530	Sealkit RR 810Q VI-ZH	2	2
154F2531	Sealkit RR 810Q MH	2	2
154F2532	Sealkit RR 810Q ME	2	2
154F2545	Sealkit RR1010Q MS/C OS.204.49	3	3
154F2546	Sealkit RR 1010QFS OS-204.50	1	1
154F2547	Sealkit RR 1010Q VI-ZI	2	2
154F2548	Sealkit RR 1010 QMH OS-204.52	1	1
154F2549	Sealkit RR 1010Q ME	2	2
154F2550	Sealkit RA 1010MS/MC OS-204.54	2	2
154F2561	Sealkit RR 1700Q MS/MC/BS/BC OS204.65	4	4
154F2562	Sealkit RR 1700Q VI-ZI	2	2
154F2563	Sealkit RR 1700Q MH	3	3
154F2576	Sealkit RR1700Q CS/CC	1	1
154F2577	Sealkit RR 1700Q CH	2	2
154F2578	Sealkit RR 1700Q CE	2	2
154F2588	Sealkit RR 2700Q VI-ZI	2	2
154F2589	Sealkit RR 2700Q MH	2	2
154F2599	Sealkit RR3500Q MS/C OS.205.03	12	12
154F2600	Sealkit RR3500Q FS OS.205.04	8	8
154F2602	Sealkit RR3500Q MH	2	2
154F2612	Sealkit RR5000Q FS	2	2
154F2613	Sealkit RR5000Q VI ZI	2	2
154F2614	Sealkit RR5000Q MH OS.205.18	2	2
154F2624	Sealkit RR6300Q FS	8	8
154F2625	Sealkit RR6300Q MH OS.205.29	1	1

Stocklist

Code	Description	Physical stock	Vacant stock
154F2632	Sealkit RR8000Q FS	2	2
154F2633	Sealkit RR8000Q MH	2	2
154F2640	Sealkit RR 12500Q FS-MH	2	2
154F2651	Sealkit RR32000Q	2	2
154F2660	Sealkit A28-A57-A60 RR105-RR310	3	3
154F2661	Sealkit A210-A220 RR510-810 uni-input	3	3
154F2662	Sealkit A210-A220 RR1010-1700	7	7
154F2664	Sealkit EL.RR105-710 A57	7	7
154F2665	Sealkit EM.RR310-710 C/F	3	3
154F2666	Sealkit EM.RR310-710 S/F	2	2
154F2669	Sealkit RF2/.. RR65-510 uni	8	8
154F2670	Sealkit RF2/.. SAE A OS-205.74	15	15
154F2672	Sealkit PDG-RF288 OS-205.76	18	18
154F2673	Sealkit SDG-RF289 OS-205.77	17	16
154F2676	Sealkit DG-RF313-316 OS-205.80	5	5
154F2677	Sealkit RF170-290 A610/A620	1	1
154F2786	Sealcover RR1700 40332	9	9
154F2878	Outphousing 1700 BS P4719	2	2
154F2879	Outphousing 1700 BC P4720	3	3
154F2880	Outphousing 1700 BH	4	4
154F2881	Outphousing RR1700 BE	1	1
154F3070	Sunshaft RR810 i=3.92 17649	7	7
154F3071	Reduction 810 i=3.92 P4560	4	4
154F3249	O-ring 2-171 202.8x2.6 C140219	13	13
154F3255	Outphousing 1700 ZI SP P4277	1	1
154F3304	Chain Pinion 16B-2 DIN 5187 16-219	4	4
154F3353	Brake SDG-RF/289 60 daNm for OMSS	7	5
154F3354	Brake WDG-RF/290 60 daNm (16 screws)	4	4
154F3445	Conn. OMV 50mm - RR810-1700 for input "C"	2	2
154F3540	RRTD100B i=5.54 RF14 for OMSU-3	8	8
154F3615	Spacer RF170-290-RR810 40-421	3	3
154F3680	Brake RFS 5/72 D38 1:8 1/8" DG2311	3	3
154F3692	RRTD 100B i=5.54 RF14 for OMP/R-SAE6B	5	5
154F3778	Shrink Disc Coup. SD-140	5	1
154F3962	Sealkit RRTD100B stand. OS-205.90	2	2
154F3963	Sealkit RRTD180B 1eV OMSU	2	2
154F3964	Sealkit RRTD300B Stand. OS-205.92	2	2
154F4003	Sealkit RM1000D OS-202.22	5	5
154F4007	RRWD600DB i=30,2 RF23 SD-LC25/45	8	-14
154F4033	RRTD1000DB i=23.7 RF39 OMSS	3	3
154F4034	RRTD1000DB i=27.2 RF32 OMSS	6	6
154F4035	RRTD1000DB i=32.23 RF28 OMSS	5	5
154F4101	Sealkit RRWD600DB ST. OS-205.94	3	0
154F4131	RRTD1700TB i=64.35 RF25 51C060	6	-1
154F4132	RRTD1700TB i=76.24 RF21 51C060	3	2
154F4135	RRTD1700TB i=127.11 RF10 51C060	2	2
154F4137	RRTD1700TB i=98.57 RF17 51C060	2	2
154F4360	RRWD800DB i=41,9 RF18 SDLC25-45	27	-9
154F4367	RRWD800DB i=22.1 RF33 OMSS	2	2
154F4419	RED. RR1700F i=6.27 RIENFORCED	3	3
154F4434	RRTD1700T i=138.98 SD LC25-45	1	1
154F4438	RRTD1700TB i=138.98 RF10 51C060	1	1

Stocklist

Code	Description	Physical stock	Vacant stock
154F4499M120	AR1000DB i=23.7 RF39 OMSS	6	5
154F4511	Ring UNI 7433-A-90 C085550	6	6
154F4537	RRWD500DB i=18,28 RF25 OMSS - 12"	4	3
154F4541	RRWD500DB i=29,37 RF14 OMSS - 12"	1	1
154F4561	RRWD500DB i=18.28 RF25 OMP SAE6B - 12"	6	-10
154F4570	Sealkit RRWD1700TB Stand.OS-205.96	2	2
154F4654	Shrink Disc Coup. SD-125	2	2
154F4915	Sealkit RRTD1000DB Stand. OS-206.10	3	3
154F4973	Kit: Ontl. + Ext. + Seal	200	200
154F5181	Sealkit RRWD300/B-OMSS OS 206.15	2	2
154F5182	Sealkit RRWD500DB 10"+ 12" ST OS 206.16	5	5
154F5264	Input kit for input "B" on RRTD LC-KC	4	2
154F5272	Coupling RRWD500 17-396	15	14
154F5273	Sunshaft RRWD500 i=5.6 17-397	16	15
154F5310	Wheelgear RRM 200 i=3.94	1	1
154F5575	RRWD500DB i=29.37 RF14 SAE6B 2B Z=15 - 12"	1	1
154F5694	RRWD1600DB i=55.2 RF28 A10VE28	1	1
154F5732	RRWD500DB i=15 RF32 OMSS - 10"	4	4
154F5769	Reduction 810 FS i=3.92 P4561	1	1
154F5788	Sealkit RRTD1700TB Stand.OS-206.42	2	2
154F5966	Brake PDG-RF/288 60 SAE6B-SAE6B	32	22
154F5989	Oil Tank BA200 (± 2 ltr) - V667	3	3
154F6030	Fixing flange 2500 MS 12052	5	4
154F6031	Fixing flange 3200/4000 MS 12053	4	4
154F6032	Fixing flange 5200 MS 12054	4	4
154F6033	Fixing flange 6500 MS 12055	8	7
154F6034	Fixing flange 8000/10000 MS 12056	3	3
154F6036	Splined shaft RR 2500 B100x94 DIN5482 L=200 27051	2	2
154F6037	Splined shaft 3200/4000 27052	1	1
154F6038	Splined shaft 5200 27053	2	2
154F6039	Splined shaft 6500 27054	3	3
154F6047	Central flange 2500 MS 28038	5	5
154F6048	Central flange 3200 MS 28039	4	4
154F6049	Centr. flange 4000 MS 28040	4	4
154F6050	Centr. flange 5200MS 28041	4	4
154F6051	Centr. flange 6500MS 28042	1	1
154F6052	Centr. flange 8000/10000 MS 28043	4	4
154F6055	Splined bushing 2500 MS 29062	4	4
154F6056	Splined bushing 3200 MS 29063	3	3
154F6057	Splined bushing 4000 MS 29064	7	7
154F6058	Splined bushing 5200 MS 29065	1	1
154F6059	Splined bushing 6500 MS 29066	2	2
154F6065	Shrink Disc Coup. Conex SB-165X290 L69 C227150	4	3
154F6066	Shrink Disc Coup. SB-185X320 L86 C227151	1	1
154F6132	Sealkit RRWD800DB St. OS-206.45	3	3
154F6133	Sealkit RRWD1600DB - A10VE28	1	1
154F6134	Sealkit RRWD270B - OMTS OS-206.47	1	1
154F6138	Sealkit RRTD3600TB Stand.OS-206.56	1	1
154F6141	Sealkit RRTD800DB STAND. OS-206.54	1	1
154F6241	RRTD1700TB i=127.11 RF10A2FE32"A"	2	2
154F6543	RRTD5000TB i=73.85 RF74 51C080	2	2
154F6545	RRTD5000TB i=91,12 - RF59 51C080	2	2

Stocklist

Code	Description	Physical stock	Vacant stock
154F6547	RRTD5000TB i=125.66 - RF44 51C080	2	2
154F6548	RRTD5000TB i=146.39 RF39 51C080	1	1
154F6552	Seakit RRTD5000T/B	2	0
154F6588	RRWD800DB i=26,82 RF29 OMSS-100	1	1
154F6727	Coupling IEC90 40x36 02-351	10	10
154F6810	RRTD800DB i=41,92 RF18 SD LC25-45 T.ME	1	1
154F6817	RRTD800DB i=22,14 RF33 OMSS T.MEC.	6	6
154F6821	RRTD800DB i=53 RF15 OMSS T.MEC.	2	2
154F6841	RRTD800DB i=53,00 RF15 SAE B 4B Z13 T.MEC	1	1
154F6870	RRTD800DB i=41.92 RF18 A2FE28-32 T.ME	6	5
154F6876	RRTD800D i=53 A2FE28-32 T.MEC.	6	4
154F6877	Seakit RRTD800DB STAND. (for Mech. Seal) OS-206.87	2	2
154F6953	Coupling RRTD1700 A10VE45 Z=15 DP16/32 02-583	4	4
154F7123	Front cover kit RRWD500D-10"	9	9
154F7368	Kit Acc. A620-RR1010 MS/MC/FS/MH	4	3
154F7413	Coupling for Rexroth A2FM160 "A" W50 24-444	7	7
154F7510	Red kit RRTD3600T i=3.3 1st P5959	3	3
154F7749	A220 i=2.69 RR510M-710M	5	5
154F7849	RRTD3600TB i=67.36 RF57 2eV A6VE55	1	1
154F7853	RRTD3600TB i=99.12 2eV RF37 A6VE55	2	2
154F7854	RRTD3600TB i=99.12 2eV RF37 A6VE80	1	1
154F7857	RRTD3600TB i=138.8 RF28 2eV A6VE55	10	9
154F7858	RRTD3600TB i=138.8 RF28 2eV A6VE80	1	1
154F7859	RRTD3600TB i=161 2eV RF23 A6VE55	1	-1
154F7871	Seakit RRTD3600T/B 2nd version Standard	3	3
154F7881	Reduction 515 i=4 P7042 (P5442)	20	10
154F8032	UNIVERSAL INPUT SHAFT 24-513	3	3
154F8037	Spacer RF170-290-A620 09-182	1	1
154F8066	RRWD1700T i=76,24 - OMSS Sp.Coll	1	1
154F8288	RRTD2400TB i=91.80 RF28 - 2eV 51C060	2	2
154F8289	RRTD2400TB i=101.74 RF28 - 2eV 51C060	4	2
154F8320	Spacer A60-RR105/210 P6800	46	46
154F8610	Sealcover RR310-710MS/MC - for shaft upwards 40-851	4	4
154F8679	AR1700TB i=127,11 RF14 A2FE32 "A"	2	2
154F8757	RRTD 180B i=6.09 RF20 2eV OMSU-3 SP	6	6
154F8980	Kit CC AM300 DU 1,00 RR810	1	1
154F8981	Kit CC AM300 DU 1.55 SP RR1010 long	14	13
154F9019	Seakit RR 6500W3 1eV C Input OS-207.77	1	1
154F9057	Flange SAE B 2B for RWD-RTD500-800D 40-1098	13	13
154F9197	Bearing Holding Spacer AM300/815 09-1065	6	-4
154F9348	Flange SAE B 4B RRWD500 11-550	2	2
154F9534	Complete output support RR1010 MS Sp. 40-614	4	4
154F9759	RRWD1800DB i=49.27 RF35 H1B060 (A6VE55)	1	1
154F9770	Spacer AM212/8/15 - RR310/510	8	-2
154F9905	Outpuhousing KS RR310-70 MS SP P7408	30	25
154F9906	Outpuhousing KS RR310-70 MC SP P7409	10	10
154F9947	RRTD300B i=6.1 RF42 - OMSU-3 2eV	15	5
154F9949	RRTD300 i=6.1 - OMSS 2eV	16	4
154F9950	RRTD300B i=6.1 RF42 OMSS 2eV	6	5
154G00753	Gear RR 10000 L2 MS i=22.1	1	1
154G01461	Gear RR 6500 L2 MS i=16.7	1	0
154G01463	Gear RR 6500 L2 FS i=16.7	2	2

Stocklist

Code	Description	Physical stock	Vacant stock
154G01464	Gear RR 6500 L2 MH i=16.7	3	2
154G01773	Gear RR 5200 L1 MS i=4.17	5	5
154G01774	Gear RR 5200 L1 MC i=4.17	5	5
154G01775	Gear RR 5200 L1 FS i=4.17	2	2
154G01776	Gear RR 5200 L1 MH i=4.17	2	2
154G01777	Gear RR 5200 L1 MS i=4.84	1	1
154G01779	Gear RR 5200 L1 FS i=4.84	3	3
154G02121	Gear RR 4000 L1 MS i=4.17	2	2
154G02122	Gear RR 4000 L1 MC i=4.17	1	1
154G02123	Gear RR 4000 L1 FS i=4.17	2	2
154G02135	Gear RR 4000 L1 FS i=6.21	1	-2
154G02494	Gear RR 3200 L1 MC i=4	2	2
154G02495	Gear RR 3200 L1 FS i=4	2	2
154G02496	Gear RR 3200 L1 MH i=4	3	2
154G02501	Gear RR 3200 L1 MS i=5.85	1	1
154G02829	Gear RR 2500 L1 MS i=4	3	2
154G02830	Gear RR 2500 L1 MC i=4	1	1
154G02831	Gear RR 2500 L1 FS i=4	16	14
154G02832	Gear RR 2500 L1 MH i=4	3	3
154G02833	Gear RR 2500 L1 MS i=4.71	1	0
154G02839	Gear RR 2500 L1 FS i=5.85	3	3
154G05001	Gear RR 3200 W3 i=64.60 2eV	3	3
154G05008	Gear RR 5200 W3 i=69.58 2eV	6	6
154G05016	Gear RR 6500 W3 i=67,56 2eV "C" input	3	3
154G90504	Gear RR 5200 W3 i=91,07 1eV "C" input	4	4
154G90506	Gear RR 6500 W3 i=64,5 1eV "C" input	1	1
154L00287	Speedsensor kit Z=85 Mn=1 for input "B"	10	10
154L00533	RRWD600T i=155.36 IEC132SM B5 38x80	2	2
154L00538	Kit RR65 on gearbox RRWD300	5	5
154L00545	RRWD800T i=71.17 IEC160ML B5 42x110	5	5
154L00755	AR801DB i=41.92 RF18 REXROTH A2FE28-32	4	3
154L00756	AR801DB i=41.92 RF18 SD LC 25-45	3	2
154L00760	RRWD300T i=64.92 IEC100LM B14 28x60	7	0
154N1257	IEC71M4 0.25KW 1380t/min B5 WT	24	24
154N1258	IEC90M4 1.5 KW 1410t/min B5 WT	9	9
154N1330	zie 154L00913 - Outputhousing RR810 MS KS MBNL-672	1	0
154N1376	Expansievat BA 250 90904	63	-537
154N1393	Sealkit A210 uni-input	1	1
154N1517	IEC80M4 0.75KW 1400t/min B5 WT	5	5
154N1613	IEC80 DFT/K4/BMG/HR/CFiSiTi	1	1
154N1688	Sealkit RR 2700DFS	5	5
154N1952	Shrink disc coupling SD-50	1	1
154N2322	IEC90M4 1.1 KW 1410t/min B5 WT	3	3
154N2536	Coupling IEC 250 - 65mm UNI MBNL-246	12	6
154N2565	Hydro Leduc Hydr.Mot. MSI 63	4	1
154N2600	Hydro Leduc Hydr.Mot. M32 W30x2x30	3	3
154N2608	Hydro Leduc Hydr.Mot. M80 W40x2x30	1	1
154N2630	Hydro Leduc Hydr.Mot. M63 W35	2	2
154N2660	Eaton 2k-b 250cc B.L. Hydr.Motor	1	1
154N2735	Hydro Leduc Hydr.Mot. M50 W35	2	2
154N2759	Hydro Leduc Hydr.Mot. MSI 41 W30	6	4
154N2931	Rotary Manifold DI 100/06	2	-1

Stocklist

Code	Description	Physical stock	Vacant stock
154N2983	Hydro Leduc Hydr.Mot. MSI 50	2	2
154N3042	Hydro Leduc Hydr.Mot. M108 W40x2x30	1	1
154N3148	Hydro Leduc Hydr.Mot. MSI 80 W40	1	1
154N3154	Hydro Leduc Hydr.Mot. MSI 32 W30	5	4
154N3167	Counterbalancevalve for MSI 50 - 63	1	1
154N3251	Hydro Leduc Hydr.Mot. MA63	1	1
154N3303	Sealkit for Eaton 2K-B.L.Hydromotor	3	3
154N3575	Sealkit RR1800L2FS	5	5
154N3576	Sealkit AM212 SU/DU	5	5
154N3625	Hydro Leduc Hydr.Mot. MSI 90 W40	1	1
154N3648	Counterbalancevalve for M/MSI 25-32-41	3	0
154N3779	Sealkit RR3200L2 FS	6	6
154N3934	Sealkit RR510-710 1 3/4" - IEC200	6	6
154N3948	Oil level plug 1/4" -10 - +250 deg	58	58
154N3949	Oil level plug 3/8" -10 - +250 deg	294	294
154N3950	Air escape plug G1/4" Stainless Steel	48	46
154N3951	Air escape plug G 3/8" Stainless Steel	23	23
154N4124	Oil Tank BA090 + Mounting bracket RAL9005 DGNL-2032	72	54
154N4206	Oil level plug 1/4" Stainless Steel AISI316	138	138
154N4207	Oil level plug 3/8" Stainless Steel AISI316	87	87
154N4450	Hydro Leduc Hydr.Mot. M160 W50	1	1
154N4493	SAI motor GM2-350-1H-D47	3	3
154N4494	SAI motor GM2-500-1H-D47	5	3
154N4759	SAI motor GM2-420-1H-D47	3	0
154N4828	Sealkit Rotary Manifold DI100/06	2	2
154N4986	Hydro Leduc Hydr.Mot. M125 W45	1	1
154N5026	Hydro Leduc Hydr.Mot. MSI 32 W30 + Speeds.	1	1
154N5439	Sealkit for Hydr.motor SAI GM2-350	1	1
154N5451	Air escape plug G1/2" Stainless Steel AISI316	68	68
154N5452	Oil level plug 1/2" Stainless Steel AISI316	15	15
154N5509	Sealkit for Hydr.motor SAI GM2-500	1	1
154N5510	Sealkit for Hydr.motor SAI GM2-420	1	1
154N5511	Sealkit for Hydr.motor SAI GM05-90	1	1
154N5883	Flange Servom. DW-FMATN150AB10 - IEC160 MBNL-897	1	1
24-3018	Coupling IEC 90 RR 63 243018	1	1
24-3028	Coupling IEC 63 RR 63 243028	13	13
633B0620	O-ring Viton for OMS/OMSS 82.5x2 mm	33	33
633B1301	O-ring NBR for OMP/OMR/OMRS 90x2 mm	43	43
633B1453	O-ring Viton for OMS/OMSS 24x2 mm	14	14
633B1455	O-ring Viton for OMS/OMSS 45x2 mm	13	13
633B3209	Shaft seal OMP (4,5,6.) OMR (4)	6	6
633B9023	Conical seal OMSS	1	1
ASATT07RA66CC	ASA Cooling unit TT 07-CC rail 230/400V 0.37kW	1	1
ASATT11RA66CC	ASA Cooling unit TT 11-CC rail 230/400V 0.37kW	1	1
ASATT16RA66CC	ASA Cooling unit TT 16-CC rail 230/400V 0.37kW	1	1
ASATT25RA66CC	ASA Cooling unit TT 25-CC rail 230/400V 0.37kW	1	1
KR-B7865-002	Gear RR1009D FS i=16.0+RF5/130+Con. SAI GM2	16	16
KR-F0903-003	Gear RR 710D FS i=16,00 +RF 5/130-OMTS	21	11
KR-L00502-001	Gear RR 1700T MS i=62.40 RF +++	10	-2
KU3785518	Volvo F12-090-MF-IV-D000-000-00	1	1
KU3799846	Parker/Volvo F12-30-MF-IV-Z	1	1